



AccessiWay

Scan results for www.levicoacque.it

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Mon Jun 8, 2026

#	Element	Relevant	Successes	Failures	Score
1	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	37	0	100

Code snapshots of successful elements

1 ``

2 ``

3 ``

4 ``

6 ``

7 ``

9 ``

10

#	Element	Relevant	Successes	Failures	Score
2	An iframe needs a label that describes its purpose to screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
3	In most cases, using role=menu on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
4	In most cases, using role=menubar on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
5	In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. role="menuitem" should be used for menu items in menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
6	Make sure that no element has an autofocus attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
7	Using role="application" is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	If content remains visible on the screen but assigned aria-hidden="true", it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users.	Yes	264	0	100

Code snapshots of successful elements

1 `<div class="cky-consent-container cky-banner-bottom" tabindex="-1" role="region" aria-label="Diamo valore alla tua privacy"><div class="cky-consent-bar" data-cky-tag="notice" style="border-color: #f4f4f4; background-color: rgba(255, 255, 255, 0.89);"...`

2 `<div class="cky-consent-bar" data-cky-tag="notice" style="border-color: #f4f4f4; background-color: rgba(255, 255, 255, 0.89);"><div class="cky-notice"><p class="cky-title" data-cky-tag="title" aria-level="2" role="heading" style="color: #212121;">Dia...`

3 `<div class="cky-notice"><p class="cky-title" data-cky-tag="title" aria-level="2" role="heading" style="color: #212121;">Diamo valore alla tua privacy</p><div class="cky-notice-group"><div class="cky-notice-des" data-cky-tag="description" style="color...`

4 `<p class="cky-title" data-cky-tag="title" aria-level="2" role="heading" style="color: #212121;">Diamo valore alla tua privacy</p>`

5 `<div class="cky-notice-group"><div class="cky-notice-des" data-cky-tag="description" style="color: #212121;"><p>Usiamo i cookie per fornirti la miglior esperienza d'uso e navigazione sul nostro sito web. Puoi trovare altre informazioni riguardo a qua...`

6 `<div class="cky-notice-des" data-cky-tag="description" style="color: #212121;"><p>Usiamo i cookie per fornirti la miglior esperienza d'uso e navigazione sul nostro sito web. Puoi trovare altre informazioni riguardo a quali cookie usiamo sul sito o di...`

7 `<p>Usiamo i cookie per fornirti la miglior esperienza d'uso e navigazione sul nostro sito web. Puoi trovare altre informazioni riguardo a quali cookie usiamo sul sito o disabilitarli nelle impostazioni.   <a href="https://www.levicoacque.it/cookie..."`

8 `<a href="https://www.levicoacque.it/cookie-policy/" class="cky-policy" aria-label="Cookie Policy" target="_blank" rel="noopener" style="color: #1863DC; border-color: transparent; background-color: transparent;" data-cky-tag="readmore-button">Cookie P...`

9 `<div class="cky-notice-btn-wrapper" data-cky-tag="notice-buttons"><button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</button></div>`

10 `<button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</button>`

#	Element	Relevant	Successes	Failures	Score
9	When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.	Yes	655	35	95

Code snapshots of successful elements

1 `<div class="cky-hide cky-overlay"></div>`

2 `<div class="cky-btn-revisit-wrapper cky-revisit-hide cky-revisit-bottom-left" data-cky-tag="revisit-consent" data-tooltip="Impostazioni dei cookie" style="background-color: #009aa8;"><button aria-label="Impostazioni dei cookie" class="cky-btn-revisit...`

3 `<button aria-label="Impostazioni dei cookie" class="cky-btn-revisit" aria-controls="ckyPreferenceCenter" aria-haspopup="dialog"></button>`

4 ``

5 `<div class="cky-modal" tabindex="-1"><div class="cky-preference-center" data-cky-tag="detail" role="dialog" aria-label="Personalizza le preferenze di consenso" aria-modal="true" id="ckyPreferenceCenter" style="color: #212121; border-color: #f4f4f4; b...`

6 `<div class="cky-preference-center" data-cky-tag="detail" role="dialog" aria-label="Personalizza le preferenze di consenso" aria-modal="true" id="ckyPreferenceCenter" style="color: #212121; border-color: #f4f4f4; background-color: rgba(255, 255, 255, ...`

7 `<div class="cky-preference-header"><span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #212121;">Personalizza le preferenze di consenso</span> <button aria-label="Vicino" class="cky-btn-close" da...`

- 8 `<span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #212121;">Personalizza le preferenze di consenso</span>`
- 9 `<button aria-label="Vicino" class="cky-btn-close" data-cky-tag="detail-close"></button>`
- 10 ``

Code snapshots of failed elements

- 1 `<div class="header-col-left"> <div class="mobile-logo"> <a href="https://www.levicoacque.it" title="Home"></a> </div></div>`
- 2 `<sr7-content style="height: 1080px; left: 0px;"> <sr7-slide id="SR7_90_1-193" data-key="193"> <sr7-bg id="SR7_90_1-193-28" class="sr7-layer"><noscript></noscript></sr7-slide></sr7-content>`
- 3 `<div class="wpb_raw_code wpb_raw_js"> <div class="wpb_wrapper"> <script type="application/ld+json"> { "@context": "http://schema.org", "@type": "VideoObject", "name": "Levico acqua in vetro a rendere a domicilio", "description": "Levico acqua in vetr..."></script></div></div>`
- 4 `<div class="dfd-heading-module-wrap text-center style_01 cr-animate-gen dfd-heading-6a26d61bbaebc dfd-disable-resposive-headings" id="dfd-heading-6a26d61bbaebc" data-animate-type="transition.fadeIn" style="opacity: 0;"><div class="inline-block"><div ...></div></div>`
- 5 `<div class="vc_row vc-row-wrapper vc_custom_1649948756765" data-parallax_sense="30"><div class="wpb_row row"> <div class="twelve dfd_vc_hidden-lg dfd_vc_hidden-md columns vc-column-extra-class-6a26d61bbb06f" data-parallax_sense="30"> <div class="wpb_..."></div></div></div>`
- 6 `<div class="dfd-vertical-aligned"> <div class="wpb_wrapper"> </div> </div>`
- 7 `<div class="dfd-heading-module-wrap text-center style_01 cr-animate-gen dfd-heading-6a26d61bbb75b dfd-disable-resposive-headings" id="dfd-heading-6a26d61bbb75b" data-animate-type="transition.slideLeftIn" style="opacity: 0;"><div class="inline-block">...</div></div>`


```
8 <div class="vc_row vc-row-wrapper vc_custom_1649949507674" data-parallax_sense="30"><div class="wpb_row row"> <div class="twelve dfd_vc_hidden-lg dfd_vc_hidden-md columns vc-column-extra-class-6a26d61bbb95a" data-parallax_sense="30"> <div class="wpb_...
```

```
9 <div class="dfd-heading-module-wrap text-center style_01 cr-animate-gen dfd-heading-6a26d61bbbedb dfd-disable-resposive-headings" id="dfd-heading-6a26d61bbbedb" data-animate-type="transition.slideLeftIn" style="opacity: 0;"><div class="inline-block">...
```

```
10 <div class="dfd-vertical-aligned"> <div class="wpb_wrapper"> </div> </div>
```

#	Element	Relevant	Successes	Failures	Score
10	Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose.	Yes	4	0	100

Code snapshots of successful elements

```
1 <button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</...>
```

```
2 <button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #545454; border-color: #A0E6EC; background-color: transparent;">Rifiuta tutto</button>
```

```
3 <button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #FFFFFF; border-color: #009aa8; background-color: #009aa8;">Accettare tutto</button>
```

```
4 <input type="submit" class="modulo-button" value="Iscriviti">
```

#	Element	Relevant	Successes	Failures	Score
11	If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.	Yes	4	1	80

Code snapshots of successful elements

1 `<button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</...>`

2 `<button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #545454; border-color: #A0E6EC; background-color: transparent;">Rifiuta tutto</button>`

3 `<button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #FFFFFF; border-color: #009aa8; background-color: #009aa8;">Accettare tutto</button>`

4 `<input type="submit" class="modulo-button" value="Iscriviti">`

Code snapshots of failed elements

1 `<a href="#" class="header-search-switcher dfd-icon-zoom" aria-label="Header search"></a>`

#	Element	Relevant	Successes	Failures	Score
12	A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
13	A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
14	Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
16	Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <a href="https://www.levicoacque.it/" class="menu-link main-menu-link item-t
  title" id="accessible-megamenu-1780930077573-16" aria-haspopup="true" aria-ow
  ns="accessible-megamenu-1780930077573-17" aria-controls="accessible-megamenu
  -1780930077573-17" ari...
```

#	Element	Relevant	Successes	Failures	Score
17	Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.	Yes	42	0	100

Code snapshots of successful elements

1 `<a href="https://www.levicoacque.it/cookie-policy/" class="cky-policy" aria-label="Cookie Policy" target="_blank" rel="noopener" style="color: #1863DC; border-color: transparent; background-color: transparent;" data-cky-tag="readmore-button">Cookie P...`

2 `<a href="https://www.levicoacque.it/rivenditori-acqua-a-domicilio/" class="distributop"> >ACQUA A DOMICILIO</a>`

3 `<a href="https://www.facebook.com/AcquaLevico/" class="fb soc_icon-facebook" title="Facebook" target="_blank"><span class="line-top-left soc_icon-facebook"></span><span class="line-top-center soc_icon-facebook"></span><span class="line-top-right soc_...`

4 `<a href="https://instagram.com/acqualevico?utm_source=ig_profile_share&igshid=17dubkegnap4n" class="in soc_icon-instagram" title="Instagram" target="_blank"><span class="line-top-left soc_icon-instagram"></span><span class="line-top-center soc_ic...`

5 `<a href="https://www.youtube.com/channel/UCiZCkgg69cvtf_-Wl2X9I2w?view_as=subscriber" class="yt soc_icon-youtube" title="YouTube" target="_blank"><span class="line-top-left soc_icon-youtube"></span><span class="line-top-center soc_icon-youtube"></spa...`

6 ` Cookie P...
```

```
2 >ACQUA A DOMICILIO
```

```
3 <span class="line-top-right soc_...
```

```
4 <span class="line-top-center soc_ic...
```

```
5 </spa...
```

```
6 `

2 `<a href="https://www.negozicurebio.it/" class="full-box-link" target="_blank" tabindex="0"></a>`

3 `<a href="https://www.muse.it/it/Pagine/default.aspx" class="full-box-link" target="_blank" tabindex="0"></a>`

4 `<a href="http://www.artesella.it/it/" class="full-box-link" target="_blank" tabindex="0"></a>`

5 `<a href="https://www.festivaletteratura.it/it" class="full-box-link" target="_blank" tabindex="0"></a>`

6 `<a href="https://www.fondazionecastelpergine.eu/" class="full-box-link" target="_blank" tabindex="0"></a>`

7 `<a href="https://www.facebook.com/AcquaLevico/" target="_blank" class="soc_icon-facebook"><i class="soc_icon-facebook"></i></a>`

8 `<a href="https://www.instagram.com/acqualevico/" target="_blank" class="soc_icon-instagram"><i class="soc_icon-instagram"></i></a>`

9 `<a href="https://www.youtube.com/channel/UC-dv8EvqPhzdalhRWrjitHw" target="_blank" class="soc_icon-youtube"><i class="soc_icon-youtube"></i></a>`

#	Element	Relevant	Successes	Failures	Score
19	Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link.	Yes	8	0	100

Code snapshots of successful elements

```
1 <a title=" " href="https://www.levicoacque.it/chi-siamo/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077566-1" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077566-2" aria-controls="accessible-megamenu-178...
```

```
2 <a href="https://www.levicoacque.it/valori/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077567-3" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077567-4" aria-controls="accessible-megamenu-1780930077567-4"...
```

```
3 <a href="https://www.levicoacque.it/human-positive-water/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077568-5" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077568-6" aria-controls="accessible-megamenu-17...
```

```
4 <a title=" " href="https://www.levicoacque.it/acqua/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077569-7" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077569-8" aria-controls="accessible-megamenu-1780930...
```

```
5 <a title=" " href="https://www.levicoacque.it/bibite/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077570-9" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077570-10" aria-controls="accessible-megamenu-17809...
```

```
6 <a href="https://www.levicoacque.it/levico-news/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077571-12" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077572-13" aria-controls="accessible-megamenu-178093007...
```

7 <a href="https://www.levicoacque.it/rivenditori-acqua-a-domicilio/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077572-14" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077572-15" aria-controls="accessible-...

8 <a href="https://www.levicoacque.it/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077573-16" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077573-17" aria-controls="accessible-megamenu-1780930077573-17" aria...

#	Element	Relevant	Successes	Failures	Score
20	Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification.	Yes	4	0	100

Code snapshots of successful elements

1 `<button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</...>`

2 `<button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #545454; border-color: #A0E6EC; background-color: transparent;">Rifiuta tutto</button>`

3 `<button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #FFFFFF; border-color: #009aa8; background-color: #009aa8;">Accettare tutto</button>`

4 `<a href="https://www.levicoacque.it/cookie-policy/" class="cky-policy" aria-label="Cookie Policy" target="_blank" rel="noopener" style="color: #1863DC; border-color: transparent; background-color: transparent;" data-cky-tag="readmore-button">Cookie P...`

#	Element	Relevant	Successes	Failures	Score
21	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form.	Yes	0	2	0

Code snapshots of failed elements

1 `<input type="checkbox" name="terms" required="required">`

2 `<input type="checkbox" name="terms" required="required">`

#	Element	Relevant	Successes	Failures	Score
22	Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.	Yes	Pass	-	100

Code snapshots of successful elements

1 `<form id="sib_signup_form_2" method="post" class="sib_signup_form"> <div class="sib_loader" style="display:none;"></div> <input type="hidden..."`

#	Element	Relevant	Successes	Failures	Score
23	Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control.	Yes	Pass	-	100
Code snapshots of successful elements					
1 <input type="submit" class="modulo-button" value="Iscriviti">					

#	Element	Relevant	Successes	Failures	Score
24	A slider should be operable with a single pointer	No	0	0	

#	Element	Relevant	Successes	Failures	Score
25	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	If a field is marked as required only through visual cues, but lacks the required attribute or aria-required="true", screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	Using an <article> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <nav class="mega-menu clearfix dfd-disable-menu-line-animated text-center" id="main_mega_menu" role="navigation"> <ul id="menu-main" class="nav-menu menu-primary-navigation menu-clonable-for-mobiles"><li id="nav-menu-item-2556-6a26d61bb81d8" class="m...
```

#	Element	Relevant	Successes	Failures	Score
29	A navigation landmark should identify a section that contains primary links for moving through the site or page. Using navigation landmarks for minor or secondary link groups makes it harder for screen reader users to locate the page's key navigation areas.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <nav class="mega-menu clearfix dfd-disable-menu-line-animated text-center" id="main_mega_menu" role="navigation"> <ul id="menu-main" class="nav-menu menu-primary-navigation menu-clonable-for-mobiles"><li id="nav-menu-item-2556-6a26d61bb81d8" class="m...
```

#	Element	Relevant	Successes	Failures	Score
30	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <div id="main-wrap"> <div id="change_wrap_div"> <section id="layout" class="no-title"> <div class="wpb-content-wrapper"><div class="vc_row vc-row-wrap per_full_width_content vc_custom_1537459980132" data-parallax_sense="30"><div class="wpb_row row"> <...
```

#	Element	Relevant	Successes	Failures	Score
31	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
32	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
33	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
34	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	Yes	7	3	70

Code snapshots of successful elements

1 `<i class="dfd-icon-email_2"></i>`

2 `<i class="dfd-icon-call_end"></i>`

3 `<a href="https://www.facebook.com/AcquaLevico/" class="fb soc_icon-facebook" title="Facebook" target="_blank"><span class="line-top-left soc_icon-faceboo k"></span><span class="line-top-center soc_icon-facebook"></span><span class="line-top-right soc_...`

4 `<a href="https://instagram.com/acqualevico?utm_source=ig_profile_share&i gshid=17dubkegnap4n" class="in soc_icon-instagram" title="Instagram" target ="_blank"><span class="line-top-left soc_icon-instagram"></span><span class ="line-top-center soc_ic...`

5 `<a href="https://www.youtube.com/channel/UCiZCkkg69cvtf_-Wl2X9I2w?view_as=su bscriber" class="yt soc_icon-youtube" title="YouTube" target="_blank"><span class="line-top-left soc_icon-youtube"></span><span class="line-top-center s oc_icon-youtube"></spa...`

6 `<a href="#" class="header-search-switcher dfd-icon-zoom" aria-label="Header search"></a>`

7 `<i class="soc_icon-facebook"></i></a>`

2 `<a href="https://www.instagram.com/acqualevico/" target="_blank" class="soc_icon-instagram"><i class="soc_icon-instagram"></i></a>`

3 `<a href="https://www.youtube.com/channel/UC-dv8EvqPhzdhRWrjHw" target="_blank" class="soc_icon-youtube"><i class="soc_icon-youtube"></i></a>`

#	Element	Relevant	Successes	Failures	Score
36	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	14	0	100

Code snapshots of successful elements

1 ``

4 ``

5 `
```

```
4
```

```
5 `

4 ``

5 `<img loading="lazy" decoding="async" src="data:image/svg+xml; charset=utf-8,%3Csvg xmlns%3D'http%3A%2F%2Fwww.w3.org%2F2000%2Fsvg' viewBox%3D'0 0 210 120'%2F%3E" data-src="https://www.levicoacque.it/wp-content/uploads/2018/06/xp-naturasi-1.png.pagespee...`

6 `<img loading="lazy" decoding="async" src="data:image/svg+xml; charset=utf-8,%3Csvg xmlns%3D'http%3A%2F%2Fwww.w3.org%2F2000%2Fsvg' viewBox%3D'0 0 210 120'%2F%3E" data-src="https://www.levicoacque.it/wp-content/uploads/2018/06/xp-cuorebio-1.png.pagespee...`

7 `<img loading="lazy" decoding="async" src="data:image/svg+xml; charset=utf-8,%3Csvg xmlns%3D'http%3A%2F%2Fwww.w3.org%2F2000%2Fsvg' viewBox%3D'0 0 210 120'%2F%3E" data-src="https://www.levicoacque.it/wp-content/uploads/2018/06/xp-muse-1.png.pagespeed.ic...`

8 Code snapshots of successful elements | | | | | |
| <div>1 Certificazioni</div> | | | | | |

#	Element	Relevant	Successes	Failures	Score
44	Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html class="no-ie js flexbox flexboxlegacy no-touch rgba hsla multiplebgs b
  ackgroundsize borderimage borderradius boxshadow textshadow opacity cssanima
  tions csscolumns cssgradients cssreflections csstransforms csstransforms3d c
  sstransitions fontface...
```

#	Element	Relevant	Successes	Failures	Score
45	The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

#	Element	Relevant	Successes	Failures	Score
46	A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability.	Yes	Pass	-	100
Code snapshots of successful elements					
1	<title>Levico Acque Dal Trentino, l'acqua minerale leggera in bottiglia di vetro</title>				

#	Element	Relevant	Successes	Failures	Score
48	Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page.	Yes	Pass	-	100

Code snapshots of successful elements

1

```
<title>Levico Acque | Dal Trentino, l'acqua minerale leggera in bottiglia di vetro</title>
```

#	Element	Relevant	Successes	Failures	Score
49	An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items.	Yes	Pass	-	100

Code snapshots of successful elements

1

```
<ul id="menu-main" class="nav-menu menu-primary-navigation menu-clonable-for-mobiles"><li id="nav-menu-item-2556-6a26d61bb81d8" class="mega-menu-item nav-item menu-item-depth-0 has-submenu"><a title=" " href="https://www.levicoacqua.it/chi-siamo/" cl...
```

#	Element	Relevant	Successes	Failures	Score
50	A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
51	Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
52	Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
53	Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
54	The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
55	Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
56	If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
57	If a table header cell is empty, screen reader users may only hear a generic label such as “column 3” or nothing at all. This makes it harder to understand what each column or row represents.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
58	When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
59	Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
60	If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

WCAG Best Practices (Not included in score)

#	Element	Relevant	Successes	Failures	Score
1	If an element's aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context.	Yes	0	6	0

Code snapshots of failed elements

1 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-current slick-active" data-slick-index="0" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide00"><div class=...`

2 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-active" data-slick-index="1" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide01"><div class="dfd-logo-caro...`

3 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-active" data-slick-index="2" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide02"><div class="dfd-logo-caro...`

4 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-active" data-slick-index="3" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide03"><div class="dfd-logo-caro...`

5 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-active" data-slick-index="4" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide04"><div class="dfd-logo-caro...`

6 `<div class="dfd-item-offset columns columns-with-border logo-carousel four slick-slide slick-active" data-slick-index="5" aria-hidden="false" style="width: 200px;" tabindex="-1" role="option" aria-describedby="slick-slide05"><div class="dfd-logo-caro...`

#	Element	Relevant	Successes	Failures	Score
2	Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context.	Yes	8	0	100

Code snapshots of successful elements

1 `<div class="sub-nav" id="accessible-megamenu-1780930077566-2" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077566-1"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-2530-6a26...`

2 `<div class="sub-nav" id="accessible-megamenu-1780930077567-4" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077567-3"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-7209-6a26...`

3 `<div class="sub-nav" id="accessible-megamenu-1780930077568-6" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077568-5"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-25997-6a2...`

4 `<div class="sub-nav" id="accessible-megamenu-1780930077569-8" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077569-7"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-7227-6a26...`

5 `<div class="sub-nav" id="accessible-megamenu-1780930077570-10" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077570-9"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-26404-6a...`

6 `<div class="sub-nav" id="accessible-megamenu-1780930077572-13" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077571-12"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-2565-6a...`

7 `<div class="sub-nav" id="accessible-megamenu-1780930077572-15" role="group" aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamenu-1780930077572-14"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id="nav-menu-item-2774-6a...`

8

```
<div class="sub-nav" id="accessible-megamenu-1780930077573-17" role="group"
aria-expanded="false" aria-hidden="true" aria-labelledby="accessible-megamen
u-1780930077573-16"><ul class="menu-depth-1 sub-menu sub-nav-group"> <li id
="nav-menu-item-wpml-ls...
```

#	Element	Relevant	Successes	Failures	Score
3	The element's aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages.	Yes	24	0	100

Code snapshots of successful elements

1 `<button aria-label="Impostazioni dei cookie" class="cky-btn-revisit" aria-controls="ckyPreferenceCenter" aria-haspopup="dialog"></button>`

2 `<button class="cky-btn cky-btn-customize" aria-label="Personalizza" aria-haspopup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style="color: #009aa8; border-color: #009aa8; background-color: transparent;">Personalizza</...>`

3 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategorynecessaryBody" aria-label="Necessaria" data-cky-tag="detail-category-title" style="color: #212121;">Necessaria</button>`

4 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategoryfunctionalBody" aria-label="Funzionale" data-cky-tag="detail-category-title" style="color: #212121;">Funzionale</button>`

5 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategoryanalyticsBody" aria-label="analitica" data-cky-tag="detail-category-title" style="color: #212121;">analitica</button>`

6 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategoryperformanceBody" aria-label="il rendimento" data-cky-tag="detail-category-title" style="color: #212121;">il rendimento</button>`

7 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategoryadvertisementBody" aria-label="la pubblicità" data-cky-tag="detail-category-title" style="color: #212121;">la pubblicità</button>`

8 `<button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDetailCategoryotherBody" aria-label="Altri" data-cky-tag="detail-category-title" style="color: #212121;">Altri</button>`

9 `<a title=" " href="https://www.levicoacque.it/chi-siamo/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077566-1" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077566-2" aria-controls="accessible-megamenu-178...`

10 `<a href="https://www.levicoacque.it/valori/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077567-3" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077567-4" aria-controls="accessible-megamenu-1780930077567-4"...`

#	Element	Relevant	Successes	Failures	Score
4	It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
5	It's good practice to warn users about the expected behavior when activating a link triggers a mail application.	Yes	0	2	0

Code snapshots of failed elements

1 `<a href="mailto:info@levicoacque.it">info@levicoacque.it </a>`

2 `<a href="mailto:info@levicoacque.it">info@levicoacque.it</a>`

#	Element	Relevant	Successes	Failures	Score
6	It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <a href="https://www.levicoacque.it/wp-content/uploads/2020/10/Levico-Acque-codice-etico-2020.pdf" target="_blank" rel="noopener noreferrer">Codice Etico</a>
```

#	Element	Relevant	Successes	Failures	Score
7	The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label.	Yes	13	3	81

Code snapshots of successful elements

1 `<a href="https://www.facebook.com/AcquaLevico/" class="fb soc_icon-facebook" title="Facebook" target="_blank"><span class="line-top-left soc_icon-facebook"></span><span class="line-top-center soc_icon-facebook"></span><span class="line-top-right soc_...`

2 `<a href="https://instagram.com/acqualevico?utm_source=ig_profile_share&igshid=17dubkegnap4n" class="in soc_icon-instagram" title="Instagram" target="_blank"><span class="line-top-left soc_icon-instagram"></span><span class="line-top-center soc_ic...`

3 `<a href="https://www.youtube.com/channel/UCiZCkkg69cvtf_-Wl2X9I2w?view_as=subscriber" class="yt soc_icon-youtube" title="YouTube" target="_blank"><span class="line-top-left soc_icon-youtube"></span><span class="line-top-center soc_icon-youtube"></spa...`

4 `<a title=" " href="https://www.levicoacque.it/chi-siamo/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077566-1" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077566-2" aria-controls="accessible-megamenu-178...`

5 `<a title=" " href="https://www.levicoacque.it/acqua/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077569-7" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077569-8" aria-controls="accessible-megamenu-1780930...`

6 `<a title=" " href="https://www.levicoacque.it/bibite/" class="menu-link main-menu-link item-title" id="accessible-megamenu-1780930077570-9" aria-haspopup="true" aria-owns="accessible-megamenu-1780930077570-10" aria-controls="accessible-megamenu-17809...`

- 7 `<a href="https://www.levicoacque.it/levico-news/anche-nel-2025-acqua-levico-e-acqua-ufficiale-del-festival-della-letteratura-di-mantova/" class="more-button slide-up" title="" data-lang="en">Leggi di più</a>`
- 8 `<a href="https://www.levicoacque.it/levico-news/acqua-levico-e-acqua-ufficiale-del-festival-della-letteratura-di-mantova-2024/" title="Acqua Levico è Acqua ufficiale del Festival della Letteratura di Mantova 2024">Acqua Levico è Acqua ufficiale del F...`
- 9 `<a href="https://www.levicoacque.it/levico-news/acqua-levico-e-acqua-ufficiale-del-festival-della-letteratura-di-mantova-2024/" class="more-button slide-up" title="" data-lang="en">Leggi di più</a>`
- 10 `<a href="https://www.levicoacque.it/levico-news/pubblicato-il-report-integrato-2023-di-levico-acque/" title="Pubblicato il report integrato 2023 di Levico Acque">Pubblicato il report integrato 2023 di Levico Acque</a>`

Code snapshots of failed elements

- 1 `<a href="https://www.levicoacque.it/levico-news/anche-nel-2025-acqua-levico-e-acqua-ufficiale-del-festival-della-letteratura-di-mantova/" title="Anche nel 2025 Acqua Levico è Acqua ufficiale del Festival della Letteratura di Mantova">Anche nel 2025 A...`
- 2 ``
- 3 ``

#	Element	Relevant	Successes	Failures	Score
8	The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.	Yes	-	Fail	0

Code snapshots of failed elements

1

<div id="footer-wrap"> <section id="footer" class="footer-style-3"> <div class="wpb-content-wrapper"><div class="vc_row vc-row-wrapper vc_custom_1541684718399" data-parallax_sense="30"><div class="wpb_row row"> <div class="twelve dfd_col-tabletop-5 d...

#	Element	Relevant	Successes	Failures	Score
9	When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
10	Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
11	Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html class="no-ie js flexbox flexboxlegacy no-touch rgba hsla multiplebgs b
ackgroundsize borderimage borderradius boxshadow textshadow opacity cssanima
tions csscolumns cssgradients cssreflections csstransforms csstransforms3d c
sstransitions fontface...">
```

#	Element	Relevant	Successes	Failures	Score
13	Providing a meta viewport to control layout and scaling on mobile devices	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```